Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	directory adj shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:10
L2	3000	(LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L3	199	2 and NDS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:12
L4	16	3 and (view$3 and search$6) with directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:19
L5	4	4 and (referenc$3 or pointer or address$3) near3 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:23
L6	160	3 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L7	0	3 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:20
L8	5	2 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:20
L9	176	2 and (referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L10	2929	(referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31

L11	3285	(referenc$3 or pointer or address$3 or point$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L12	68	11 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L13	19	12 and categories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:32
L14	15	13 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L15	13	14 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L16	15	13 and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L17	13	16 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L18	13	17 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	directory adj shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:10
L2	3000	(LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L3	199	2 and NDS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:12
L4	16	3 and (view$3 and search$6) with directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:19
L5	4	4 and (referenc$3 or pointer or address$3) near3 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:23
L6	160	3 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L7	0	3 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:20
L8	5	2 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L9	176	2 and (referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L10	2929	(referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31

L11	3285	(referenc$3 or pointer or address$3 or point$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L12	68	11 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:51
L13	19	12 and categories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:53
L14	15	13 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L15	13	14 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L16	15	13 and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L17	13	16 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:43
L18	13	17 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:53
L19	15	11 and directories! near9 (classes! or catagories!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:43
L20	3	19 and ((LDAP or (lightweight adj directory adj access adj protocol)) or (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:50

L21	0	20 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L22	1	20 and (view$3 and search$6 and interact$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L23	3	20 and (view$3 or search$6 or interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:52
L24	6	("20010039549" or "6501491" or "20010034733").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:50
L25	6	24 and ((LDAP or (lightweight adj directory adj access adj protocol)) or (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:51
L26	3	24 and ((LDAP or (lightweight adj directory adj access adj protocol)) and (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:51
L27	2	26 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:51
L28	1	27 and (view$3 and search$6) near4 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:52
L29	2	24 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:53
L30	1	29 and categories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:53

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	45	(directory adj references!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:10
L2	0	1 and distributed adj directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:07
L3	8	1 and distribut$4 near5 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:09
L4	1043	distribut$4 near2 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:09
L5	6	1 and (LDAP or (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:12
L6	4	1 and (LDAP or (directory adj servers!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:12
L7	428	4 and (LDAP or (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:12
L8	40	7 and (LDAP and (directory adj servers!))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:12
L9	36	8 and (LDAP and (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:13
L10	1	9 and class and attribute and (user adj interface) and instantiat$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:16

L11	1	10 and (LDAP or server) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:17
L12	0	10 and directory near classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:17
L13	0	10 and directory near9 classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:17
L14	1	10 and classes!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:17
L15	1	10 and (class and attribute) near9 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:18
L16	1	15 and directory and server and ldap and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:19
L17	1	16 and distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/07 07:19

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	57	directory adj shell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:10
L2	3000	(LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L3	199	2 and NDS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:12
L4	16	3 and (view$3 and search$6) with directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:19
L5	4	4 and (referenc$3 or pointer or address$3) near3 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:23
L6	160	3 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:33
L7	0	3 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:20
L8	5	2 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L9	176	2 and (referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31

L10	2929	(referenc$3 or pointer or address$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L11	3285	(referenc$3 or pointer or address$3 or point$3) near directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:31
L12	68	11 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:42
L13	19	12 and categories!	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:32
L14	15	13 and (referenc$3 or pointer or address$3) and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L15	13	14 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L16	15	13 and (directory adj service)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L17	13	16 and (LDAP or (lightweight adj directory adj access adj protocol))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:43
L18	13	17 and directories! and (object adj attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:37
L19	15	11 and directories! near9 (classes! or catagories!)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:43

L20	3	19 and ((LDAP or (lightweight adj directory adj access adj protocol)) or (directory adj service))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:44
L21	0	20 and (view$3 and search$6 and interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L22	1	20 and (view$3 and search$6 and interact$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:45
L23	3	20 and (view$3 or search$6 or interact$3) near9 directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:46